

**Building User Interfaces**

**Javascript**

**An Introduction**

**Professor Bilge Mutlu**

# Disclaimer


This is not a comprehensive introduction to JS, so below are links to great additional resources:

- [MDN Web Docs](#)
- [DevDocs](#)
- [W3 Schools](#)
- [FreeCodeCamp](#)

# What we will learn today?

- History and overview of web programming
- Syntax, JS for Java developers
- Interacting with user-facing elements

# Live Q&A Reminder



# What we will you need?

- A modern web browser (developer tools enabled)
- A source-code editor (e.g., Visual Studio Code, Atom, Sublime Text)

# A little bit of history


- JavaScript (JS) was developed by Netscape Communications (Brendan Eich) in 1995 to make the web more dynamic — a "glue language" for HTML — *Marc Andreessen*
- Mocha > LiveScript > JavaScript/VBScript > JScript (Microsoft)
- Client-side and server-side JS (e.g., Node.js)
- Standardization through ECMAScript (ES)<sup>1</sup>

<sup>1</sup>The three layers of designing for the web

# How does the "front-end" of the web work?

A three-layered cake:<sup>1</sup>

1. **HTML**: Base cake layer
2. **CSS**: Icing
3. **JS**: Clown hidden in the cake



<sup>1</sup>The three layers of designing for the web

# Let's see an example

Consider the following *very* simple HTML page:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
</head>
```

```
<body>
```

```
<h1>My Web Page</h1>
```


```
<p>Welcome to my webpage! You can see my resume below.</p>
```

```
<button>Download Resume</button>
```

```
</body>
```

```
</html>
```







# Let's improve its appearance. Within head and then style:


```
body {background-color: lightgrey;}
h1 {
  color: darkslategray;
  text-align: center;
  font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif}
p {
  color: darkolivegreen;
  margin-left: 50px;
  margin-right: 50px;
  font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif}
button {
  background-color: darkolivegreen;
  border: none;
  color: white;
  padding: 15px 32px;
  text-align: center;
  display: inline-block;
  font-size: 16px;
  margin-left: 50px; margin-right: 50px;
  font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif}
```

## Detour: Specifying Color<sup>2</sup>

- RGB triplet, HEX triplet
- Majors > tone; minors > shade
- Values 0–9–A–F (16 values)
- Search for "hex color"



<sup>2</sup>Nitish Khagwal




Let's add some *minor* interactivity. Within head and then script:

```
function myFunction() {  
    document.getElementById("message").innerHTML = "Downloading...";  
}
```

Then within body:

```
<button onclick="myFunction()">Download Resume</button>
```

```
<p id="message"></p>
```



# Quiz 1

Complete the Canvas quiz.



canvas

# How does JS interact with the page?

1. Internal JS
2. External JS
3. Inline JS handler



# Internal JS

Internal JS is included within the HTML inside `<script>` tags.

```
<head>  
  <script>  
    // JS goes here  
  </script>  
</head>
```

# External JS

Create a `script.js` file, which will contain your JS code, and include the file within head:

```
<script src="script.js" defer></script>
```

Here, `defer` indicates that `script.js` should be executed *after* the page is parsed.

# Inline JS handlers

```
<button onclick="myFunction()">Download Resume</button>
```

*Pro Tip 1:* In general, inline JS handlers result in inefficient and unorganized code.

*Pro Tip 2:* Different loading strategies are used for internal JS (listening for DOMContentLoaded event; including script after the page content) and external JS (defer and async attributes).

# How is JS interpreted?

- All modern browsers have a JS engine, e.g., v8, SpiderMonkey<sup>3</sup>
- Node.js encompasses v8 within a C++-based environment to compile JS outside the browser<sup>4</sup>
- In this class, we will exclusively work within the browser environment

<sup>3</sup> List of ECMAScript engines

<sup>4</sup> Node.js

# How do I start JS development?


1. In the **browser** — best for testing ideas, code, etc.
2. In a **coding environment** — best for application development

# Running JS in the browser

Ctrl-Shift-K or Command-Option-K


Try out:

```
console.log("On Wisconsin!")
```



# Running JS in an online sandbox

- <https://codepen.io/>
- <https://codesandbox.io/>
- <https://glitch.com/>
- <https://playcode.io/>
- <https://jsfiddle.net/>
- <https://jsbin.com/>




# Running JS in a coding environment

If you are using VS Code install *Live Server*, start a simple HTML file, and try adding:

```
<script>alert("On Wisconsin");</script>
```

<http://127.0.0.1:5500/index.html>





# What is this "TypeScript" I hear about?

**Definition:** TypeScript is a strict syntactical superset of JS developed to enable the development of large-scale applications and to add *static typing* (ensuring type safety).

**Alternatives:** CoffeeScript, LiveScript, Babel

Preprocessors compile code written in TS, CS, LS, and Babel into JS that can be executed by a JS engine.

TypeScript code:

```
var peerMentors: string[] = ['Sanjana', 'Vera'];  
var firstPeerMentor: string = array[0];
```

Compiles into JS code:

```
var peerMentors = ['Sanjana', 'Vera'];  
var firstPeerMentor = array[0];
```

# Syntax, JS for Java Developers

# Variables

**Definition:** Variables are *containers* that hold reusable data.

- ES6 defines seven standard data types: *numbers, string, boolean, null, undefined, symbol, object*
- JS is a dynamically, or loosely, typed language, and data type is inferred from the declaration and can be changed over time —  
Let's try!

Consider the following three variable containers:

```
var userName = "Jack";  
let userName = "Jill";  
const interestRate = 4.25;
```

- var and let work identically but have different *scopes*
- var declares a variable that is globally accessible
- let declares a variable that is only accessible within the current block, e.g., a for loop
- const declares a variable that is unchangeable — Let's try!

— JS has a flexible and powerful declaration syntax, for example:

```
var firstName = "Cole", lastName = "Nelson", age = 26;  
var firstName = "Cole",  
lastName = "Nelson",  
age = 26;  
var fullName = firstName + " " + lastName;
```

— Because JS is dynamically typed, you can query the data type:

```
typeof firstName;  
"string"
```

# Quiz 2

Complete the Canvas quiz.



canvas

# Objects

**Definition:** Objects are unordered collections of related data of primitive or reference types — defined using key: value statements.

```
var teachingAssistant = {  
  firstName: "John",  
  lastName: "Balis",  
  age: 24  
}
```

```
teachingAssistant;  
> {firstName: "John", lastName: "Balis", age: 24}
```



# Object Properties

Different notations to access object properties:

```
teachingAssistant.lastName;  
> "Balis"
```

```
teachingAssistant["lastName"];  
> "Balis"
```

```
let userFocus = "lastName";  
teachingAssistant[userFocus];  
> "Balis"
```

# Arrays

**Definition:** An array is a variable that contains multiple elements.

- Like variables, arrays are also dynamically typed.
- JS arrays can contain elements of different types.

```
var myGradStudents = ["Andy", "David", "Laura"];  
myGradStudents[3] = "Nathan";  
myGradStudents;  
> ["Andy", "David", "Laura", "Nathan"]
```

```
myGradStudents[4] = 4;  
myGradStudents;  
> ["Andy", "David", "Laura", "Nathan", 4]
```

# Functions<sup>5</sup>

**Definition:** A procedure that includes a set of statements that performs a task or calculates a value. The function must be defined and called within the same scope.

Functions can be used to perform specific tasks.

```
function fahrenheitToCelcius(temperature) {  
    return (temperature - 32) * 5/9;  
}
```

```
fahrenheitToCelcius(77);  
> 25
```

<sup>5</sup>Functions

Functions can also serve as methods associated with objects.

```
var latestWeatherReport = {  
  temperature: 77,  
  humidity: 64,  
  wind: 6,  
  celcius: function() {  
    return (this.temperature - 32) * 5/9;  
  }  
}
```

```
latestWeatherReport.temperature;  
> 77
```

```
latestWeatherReport.celcius();  
> 25
```

# Anonymous functions

**Definition:** Anonymous functions are declared without named identifiers that refer to them.

Form 1:

```
var firstItem = function (array) {return array[0]};
```

Form 2 ("arrow" functions<sup>6</sup>):

```
const firstItem = array => return array[0];
```

<sup>6</sup>Zen Dev

## Declared vs. Anonymous<sup>7</sup>

Advantages of *declared* and *anonymous* functions are:

Named	Anonymous
Debugging	Scope
Recursion	Brevity

<sup>7</sup>Scott Logic

# Conditionals

**Definition:** Conditionals allow the code to make decisions and carry out different actions depending on different inputs.

Three types:

1. `if...else` statements
2. `switch` statements
3. Ternary operator

# Comparison and logical operators

- === and !== (identical to/not identical *objects*)
- == and != (identical to/not identical *values*)
- < and > (less/greater than)
- <= and >= (less/greater than or equal to)
- && (AND)
- || (OR)



Example *object* comparison:

```
var ta1 = { name: "Derek" };  
var ta2 = { name: "Cole" };  
console.log(ta1 === ta2);  
> false
```

Example *value* comparison:

```
var ta1 = { name: "John" };  
var ta2 = { name: "John" };  
console.log(ta1.name == ta2.name);  
> true
```

*Pro Tip:* In JS, any value that is not false, undefined, null, 0, NaN, or "" returns true.

```
var currentMember = false;

if (currentMember) {
    para.textContent = 'Sign In';
} else {
    para.textContent = 'Sign Up';
}
> Sign up
```

We don't need to explicitly specify `=== true`.

# if...else statements<sup>8</sup>

```
<select id="sign">
  <option value="">--Make a choice--</option>
  <option value="illinois">Illinois</option>
  <option value="indiana">Indiana</option>
...

var select = document.querySelector('select');
var para = document.querySelector('p');

select.addEventListener('change', setSign);

function setSign() {
  var choice = select.value;
  var messageText = 'Current mortgage loan rate is ';
  // Data from https://www.astrology.com/horoscope/daily.html
  if (choice === 'illinois') {
    para.textContent = messageText + 4.50 + '%';
  } else if (choice === 'indiana') {
    para.textContent = messageText + 3.50 + '%';
  }
  ...
}
```

<sup>8</sup>See in JSFiddle

```
var select = document.querySelector('select');
var para = document.querySelector('p');

select.addEventListener('change', setSign);

function setSign() {
    var choice = select.value;
    var messageText = 'Current mortgage loan rate is ';
    if (choice === 'illinois') {
        para.textContent = messageText + 4.50 + '%';
    } else if (choice === 'indiana') {
        para.textContent = messageText + 3.50 + '%';
    }
    ...
}
```

# Ternary operator

**Definition:** An operator that tests a condition and returns one output if true and another if it is false.

Prototype:

```
( condition ) ? doSomething : doSomethingElse;
```

Example:

```
(currentMember) ? para.textContent = 'Sign In' : para.textContent = 'Sign Up';
```

# Looping

**Definition:** Executing one or more statements repeatedly until certain conditions are met. To express a loop, we need a counter, an exit condition, and an iterator.

A for loop:

```
for (initializer; exit-condition; final-expression) {  
    // statement  
}
```

while and do...while loops:

```
initializer  
while (exit-condition) {  
    // statement  
    final-expression  
}
```


```
initializer  
do {  
    // statement  
    final-expression  
} while (exit-condition)
```

# Exiting loops, skipping iterations

```
for (initializer; exit-condition; final-expression) {  
    // statement  
    if (special-condition-exit) { break; }  
    if (special-condition-skip) { continue; }  
    // statement  
}
```




## Conditional Code



<sup>9</sup> Baeldung

## Conditional Code



# Quiz 3

Complete the Canvas quiz.



canvas


# Interacting with User-facing Elements

# Document Object Model<sup>10</sup>

**Definition:** Document Object Model (DOM) translates an HTML or XML document into a tree structure where each node represents an object on the page.

This is great news for us, because JS can interact with this structure.

<sup>10</sup> Wikipedia: DOM



# DOM Programming Interface

- **Objects:** HTML elements, such as a paragraph of text.
- **Property:** Value that we can get or set, such as the id of an element.
- **Method:** An action we can take, such as adding or deleting an HTML element.

For JS to interact with user-facing elements, we first need to access them...

# Accessing HTML elements

Most common way of accessing content is `getElementById()`.

```
<p id="userName"></p>
```

```
<script>  
    document.getElementById("userName").innerHTML = "Cole Nelson";  
</script>
```

We can also find elements using tag name, class name, CSS selectors, and HTML object collections.

# Manipulating HTML elements

Changing content:

```
document.getElementById("userName").innerHTML = "cnelson";
```

Changing attributes:

```
document.getElementById("userImage").src = "Headshot.png";  
document.getElementById("userName").style.color = "red";
```

# DOM Events

Now things are heating up! 🔥

DOM provides access to HTML events: onclick, onload, onunload, onchange, onmouseover, onmouseout, onmousedown, onmouseup, formaction.

Three ways of registering functions to events:

1. Inline event handlers
2. DOM on-event handlers
3. Using event listeners



# Inline Event Handlers

## Prototype:

```
<button id="id-name" onclick="function();">Button name</button>
```

## Example:

```
<p id="currentTemp">77</p>
<button id="convertButton" onclick="convertTemp();">Convert to Celcius</button>

<script>
    function convertTemp() {
        document.getElementById("currentTemp").innerHTML
        = (document.getElementById("currentTemp").innerHTML - 32) * 5/9; }
</script>
```

# DOM on-event Handlers

Prototype:

```
<script>  
    document.getElementById("button").onclick = doSomething();  
</script>
```

Example:

```
<p id="currentTemp">77</p>  
<button id="convertButton">Convert to Celcius</button>  
  
<script>  
    document.getElementById("convertButton").onclick = convertTemp;  
    function convertTemp() {  
        document.getElementById("currentTemp").innerHTML = (document.getElementById("currentTemp").innerHTML - 32) * 5/9; }  
</script>
```

# Using Event Listeners

## Prototype:

```
document.getElementById("button").addEventListener("click", function(){ doSomething() });
```

## Example:

```
<p id="currentTemp">77</p>
<button id="convertButton">Convert to Celcius</button>
<script>
    document.getElementById("convertButton").addEventListener("click", function(){ convertTemp() });

    function convertTemp() {
        document.getElementById("currentTemp").innerHTML
        = (document.getElementById("currentTemp").innerHTML - 32) * 5/9;
    }
</script>
```

*Pro Tip:* When we add event listeners, we are assigning a function to a handler for the handler to execute the function when needed, not calling the function right there.

Do not:

```
document.getElementById("button").addEventListener("click", doSomething() );
```

Do:

```
document.getElementById("button").addEventListener("click", function(){ doSomething() });
```

Pro Tip: *Listeners* are the most efficient way to manage events.<sup>1112</sup>

```
<button>A</button>
<button>B</button>
<button>C</button>
<script>
  document.body.addEventListener("click", event => {
    if (event.target.nodeName == "BUTTON") {
      console.log("Clicked", event.target.textContent);
    }
  });
</script>
```

<sup>11</sup> Eloquent JavaScript

<sup>12</sup> See in CodePen

# Quiz 4

Complete the Canvas quiz.



canvas

# What did we learn today?

- History and overview of web programming
- Syntax, JS for Java developers
- Interacting with user-facing elements