

Human-Computer Interaction

# Research Frameworks in HCI

Professor Bilge Mutlu

# Today's Agenda

- >> Topic overview: *Research Frameworks*
- >> Discussion
- >> Project Q&A, partner-matching

# Topic overview: *Research Frameworks*

*What is HCI theory? Does HCI have foundational theories? What is theory anyway?*

*...theory is the answer to queries of why. Theory is about the connections among phenomena, a story about why acts, events, structure, and thoughts occur. Theory emphasizes the nature of causal relationships, identifying what comes first as well as the timing of such events.*

— Sutton & Staw, 1995

*Strong theory ... delves into underlying processes so as to understand the systematic reasons for a particular occurrence or nonoccurrence.*

— Sutton & Staw, 1995

*A good theory explains, predicts, and delights.*

— Weick, 1995

# Some Preliminaries

1. HCI research is a process by which we develop, test, and refine theory about how to design computer systems and social phenomena around them.
2. Theory should guide design, predict outcomes, and serve as an educational tool about the field—it should be informative, predictive, and prescriptive (Rogers, 2004).
3. To clarify, theory is not *references, data, variables, diagrams, or hypotheses*. These are resources we use in *theorizing*.
4. Theory-building, or theorizing, is an *iterative, slow, and collective* process.



*So, what are some HCI theories?*

# Theoretical Approaches to HCI

1. Cognitive modeling applied to HCI
  - >> E.g., Model Human Processor, GOMS, KLM
2. Situated/ecological models applied to HCI
  - >> E.g., Activity Theory, Situated Action, Distributed Cognition

# GOMS

**Definition:** A family of predictive models of human performance that can be used to improve the efficiency of human-machine interaction by identifying and eliminating unnecessary user actions.

- >> Four variations: *KLM*, *CMN-GOMS*, *NGOMSL*, *CPM-GOMS*.
- >> GOMS represents *goals*, *operators*, *methods*, and *selection rules*.
- >> KLM is constructed using four operators: keystroking, pointing, homing, drawing.
- >> New variations include TLM with new operators such as gesture, pinch, zoom, swipe, etc.

```

GOAL: EDIT-MANUSCRIPT
. GOAL: EDIT-UNIT-TASK ...repeat until no more unit tasks
. . GOAL: ACQUIRE UNIT-TASK ...if task not remembered
. . . GOAL: TURN-PAGE ...if at end of manuscript page
. . . GOAL: GET-FROM-MANUSCRIPT
. . GOAL: EXECUTE-UNIT-TASK ...if a unit task was found
. . . GOAL: MODIFY-TEXT
. . . . [select: GOAL: MOVE-TEXT* ...if text is to be moved
. . . . . GOAL: DELETE-PHRASE ...if a phrase is to be deleted
. . . . . GOAL: INSERT-WORD] ...if a word is to be inserted
. . . . . VERIFY-EDIT

```

\*Expansion of MOVE-TEXT goal

```

GOAL: MOVE-TEXT
. GOAL: CUT-TEXT
. . GOAL: HIGHLIGHT-TEXT
. . . [select**: GOAL: HIGHLIGHT-WORD
. . . . MOVE-CURSOR-TO-WORD
. . . . . DOUBLE-CLICK-MOUSE-BUTTON
. . . . . VERIFY-HIGHLIGHT
. . . . GOAL: HIGHLIGHT-ARBITRARY-TEXT
. . . . . MOVE-CURSOR-TO-BEGINNING 1.10
. . . . . CLICK-MOUSE-BUTTON 0.20
. . . . . MOVE-CURSOR-TO-END 1.10
. . . . . SHIFT-CLICK-MOUSE-BUTTON 0.48
. . . . . VERIFY-HIGHLIGHT] 1.35
. . GOAL: ISSUE-CUT-COMMAND
. . . MOVE-CURSOR-TO-EDIT-MENU 1.10
. . . PRESS-MOUSE-BUTTON 0.10
. . . MOVE-MOUSE-TO-CUT-ITEM 1.10
. . . VERIFY-HIGHLIGHT 1.35
. . . RELEASE-MOUSE-BUTTON 0.10
. GOAL: PASTE-TEXT
. . GOAL: POSITION-CURSOR-AT-INSERTION-POINT
. . . MOVE-CURSOR-TO-INSERTION-POINT 1.10
. . . CLICK-MOUSE-BUTTON 0.20
. . . VERIFY-POSITION 1.35
. . GOAL: ISSUE-PASTE-COMMAND
. . . MOVE-CURSOR-TO-EDIT-MENU 1.10
. . . PRESS-MOUSE-BUTTON 0.10
. . . MOVE-MOUSE-TO-PASTE-ITEM 1.10
. . . VERIFY-HIGHLIGHT 1.35
. . . RELEASE-MOUSE-BUTTON 0.10
TOTAL TIME PREDICTED (SEC) 14.38

```

\*\*Selection Rule for GOAL: HIGHLIGHT-TEXT:  
If the text to be highlighted is a single word, use the  
HIGHLIGHT-WORD method, else use the HIGHLIGHT-ARBITRARY-TEXT method.

### Moving text with the *MENU-METHOD*

Description	Operator	Duration (sec)
Mentally prepare by Heuristic Rule 0	M	1.35
Move cursor to beginning of phrase (no M by Heuristic Rule 1)	P	1.10
Click mouse button (no M by Heuristic Rule 0)	K	0.20
Move cursor to end of phrase (no M by Heuristic Rule 1)	P	1.10
Shift-click mouse button (one average typing K)	K	0.28
(one mouse button click K)	K	0.20
Mentally prepare by Heuristic Rule 0	M	1.35
Move cursor to Edit menu (no M by Heuristic Rule 1)	P	1.10
Press mouse button	K	0.10
Move cursor to Cut menu item (no M by Heuristic Rule 1)	P	1.10
Release mouse button	K	0.10
Mentally prepare by Heuristic Rule 0	M	1.35
Move cursor to insertion point	P	1.10
Click mouse button	K	0.20
Mentally prepare by Heuristic Rule 0	M	1.35
Move cursor to Edit menu (no M by Heuristic Rule 1)	P	1.10
Press mouse button	K	0.10
Move cursor to Paste menu item (no M by Heuristic Rule 1)	P	1.10
Release mouse button	K	0.10
<b>TOTAL PREDICTED TIME</b>		<b>14.38</b>


<sup>1</sup>John & Kieras, 1994

# Model Human Processor<sup>2</sup>

**Definition:** A model that represents human cognition as an information-processing system made up of set of memories and processors and a set of principles and that can approximate processing times for a given user action.

---

<sup>2</sup>Image source (on the next page): [Card, Moran, Newell, 1985](#)



**Figure 2.1. The Model Human Processor—memories and processors.**

Sensory information flows into Working Memory through the Perceptual Processor. Working Memory consists of activated chunks in Long-Term Memory. The basic principle of operation of the Model Human Processor is the *Recognize-Act Cycle of the Cognitive Processor* (P0 in Figure 2.2). The Motor Processor is set in motion through activation of chunks in Working Memory.

**P0. Recognize-Act Cycle of the Cognitive Processor.** On each cycle of the Cognitive Processor, the contents of Working Memory initiate actions associatively linked to them in Long-Term Memory; these actions in turn modify the contents of Working Memory.

**P1. Variable Perceptual Processor Rate Principle.** The Perceptual Processor cycle time  $\tau_p$  varies inversely with stimulus intensity.

**P2. Encoding Specificity Principle.** Specific encoding operations performed on what is perceived determine what is stored, and what is stored determines what retrieval cues are effective in providing access to what is stored.

**P3. Discrimination Principle.** The difficulty of memory retrieval is determined by the candidates that exist in the memory, relative to the retrieval clues.

**P4. Variable Cognitive Processor Rate Principle.** The Cognitive Processor cycle time  $\tau_c$  is shorter when greater effort is induced by increased task demands or information loads; it also diminishes with practice.

**P5. Fitts's Law.** The time  $T_{pos}$  to move the hand to a target of size  $S$  which lies a distance  $D$  away is given by:

$$T_{pos} = I_M \log_2(D/S + .5), \quad (2.3)$$

where  $I_M = 100 [70-120] \text{ msec/bit}$ .

**P6. Power Law of Practice.** The time  $T_n$  to perform a task on the  $n$ th trial follows a power law:

$$T_n = T_1 n^{-\alpha}, \quad (2.4)$$

where  $\alpha = .4 [.2-.6]$ .

**P7. Uncertainty Principle.** Decision time  $T$  increases with uncertainty about the judgement or decision to be made:

$$T = I_C H,$$

where  $H$  is the information-theoretic entropy of the decision and  $I_C = 150 [0-157] \text{ msec/bit}$ . For  $n$  equally probable alternatives (called Hick's Law),

$$H = \log_2(n + 1). \quad (2.8)$$

For  $n$  alternatives with different probabilities,  $p_i$ , of occurrence,

$$H = \sum_i p_i \log_2(1/p_i + 1). \quad (2.9)$$

**P8. Rationality Principle.** A person acts so as to attain his goals through rational action, given the structure of the task and his inputs of information and bounded by limitations on his knowledge and processing ability:

$$\begin{aligned} &\text{Goals} + \text{Task} + \text{Operators} + \text{Inputs} \\ &+ \text{Knowledge} + \text{Process-limits} \rightarrow \text{Behavior} \end{aligned}$$


**P9. Problem Space Principle.** The rational activity in which people engage to solve a problem can be described in terms of (1) a set of states of knowledge, (2) operators for changing one state into another, (3) constraints on applying operators, and (4) control knowledge for deciding which operator to apply next.

**Figure 2.2. The Model Human Processor—principles of operation.**

# Activity Theory<sup>3</sup>

**Definition:** Argues that human interaction with the world should be studied at the level of an activity.

- >> An activity is a hierarchical representation made up of *operations, tasks, and goals*.
- >> Activities are purposeful human interactions with objects mediated by physical and psychological *tools*.
- >> Frames human *activities* as the unit of analysis.



<sup>3</sup>Image source: [Rogers, 2004](#)

**Figure 2.1 (a) The basic Activity Theory Framework and (b) Engeström's (1987) extended Activity System Model**

# Situated Action

**Definition:** A theory that posits that human actions are shaped by social and material circumstances, and thus they should be studied as an emergent property of the interactions among people or between people and the environment.

Focused the attention of HCI researchers to *context*.




# Distributed Cognition

**Definition:** In distributed cognition, the unit of analysis is extended beyond individual cognition to involve individuals and artifacts they use.

Cognitive processes are *distributed*:

- >> Across time
- >> Between individuals and groups
- >> Between internal and external representations in the system



<sup>5</sup>Image source: [Matt Soave](#)

# Discussion Questions

- >> Consider an interaction you had with/via a computer today, which theory is most applicable to it?
- >> Are these theories compatible with each other?
- >> Where do you think theories would be most useful? Where would they fall short?
- >> What other theories and models did your external resources point to?
- >> ...